

<110> DuPont Pharmaceuticals Company

<210>

<211>

<212>

<213>

<220>

2

5

PRT

Artificial Sequence

<120> Peptidase-cleavable, targeted antineoplastic drugs and their
therapeutic use

```
<130>
      PH-7134
<150>
       60/189,387
<151>
       2000-03-15
<160>
       210
<170>
       PatentIn version 3.0
<210>
       1
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD RES
<222>
       (1)..(1)
<223>
       4-methoxy-benzenesulfonyl-beta-alanine
<220>
<221>
       MOD_RES
<222>
       (3)..(3)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 1
Xaa Gly Xaa Tyr Leu
```

```
<222>
          (1)..(1)
          1,2-C6H4(CO)2-histidine
   <223>
   <220>
   <221>
          MOD_RES
   <222>
          (3)..(3)
          homophenylalanine
   <223>
    <220>
    <221>
          PEPTIDE
          (1)..(5)
    <222>
          The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
          tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
   <400> 2
Xaa Gly Xaa Tyr Leu
    <210>
          3
    <211>
          5
<212>
          PRT
<213>
          Artificial Sequence
<220>
   <221> MOD_RES
    <222> (1)..(1)
HILL
    <223> acetyl-proline
    <220>
    <221> PEPTIDE
    <222>
          (1)..(5)
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 3
    Xaa Leu Gly Leu Leu
    <210>
          4
    <211>
          5
    <212>
          PRT
    <213> Artificial Sequence
```

<221> MOD_RES

```
<220>
    <221>
          MOD_RES
    <222>
           (1)..(1)
          acetyl-proline
    <223>
    <220>
    <221>
          PEPTIDE
    <222>
          (1)..(5)
          The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 4
   Xaa Leu Gly Leu Leu
<210>
          5
    <211>
          5
<212>
          PRT
    <213>
          Artificial Sequence
    <220>
    <221>
          MOD_RES
    <222>
          (2)..(2)
<223> beta alanine
    <220>
    <221>
          MOD_RES
    <222>
          (1)..(1)
    <223>
          acetyl-proline
    <220>
    <221>
          PEPTIDE
    <222>
          (1)..(5)
          The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400>
   Xaa Xaa Gly Leu Leu
    <210>
           6
    <211>
          5
```

```
<220>
    <221>
           MOD_RES
    <222>
          (1)..(1)
    <223>
           acetyl-proline
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(5)
    <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
<400> 6
    Xaa Xaa Gly Leu Leu
                    5
    <210>
           7
<211>
    <212>
          PRT
四路口
    <213>
          Artificial Sequence
    <220>
    <221>
          MOD_RES
    <222>
           (2)..(2)
    <223>
          cyclohexylalanine
    <220>
    <221>
          MOD_RES
    <222>
          (1)..(1)
    <223>
          acetyl-proline
```

PEPTIDE

(1)..(5)

ordinarily skilled artisans

The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to

<220> <221>

<222>

<223>

<212>

<213>

<220> <221>

<222>

PRT

MOD_RES

(2)..(2)

<223> 4-aminobutyric acid

Artificial Sequence

```
Xaa Xaa Gly Leu Leu
<210>
       8
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       8
Pro Leu Gly Leu Leu
<210>
       9
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       MeOCH2CH2OCH2(=0)-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 9
Xaa Leu Gly Leu Leu
1
<210>
       10
<211>
       5
<212>
      PRT
```

<400> 7

T WE LEED

T.

正到四重

<213> Artificial Sequence

```
The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
    <400> 10
    Xaa Leu Gly Leu Leu
    <210>
            11
JEUNNATE
    <211>
            5
            PRT
    <212>
    <213>
           Artificial Sequence
    <220>
    <221>
           MOD_RES
            (1)..(1)
    <222>
ij
<223>
           H2NCH2CH2N(CH2CH2)2NCH2C(=0)-proline
TI
TI
    <220>
    <221>
           PEPTIDE
    <222>
            (1)..(5)
    <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
    <400> 11
    Xaa Leu Gly Leu Leu
    <210>
           12
    <211>
           5
    <212>
           PRT
```

<213>

<220> <221>

<222>

Artificial Sequence

MOD_RES

(1)..(1)

<220> <221>

<222>

<223>

<220> <221>

<222>

<223>

MOD_RES

PEPTIDE

(1)..(5)

(1)..(1)

MeOCH2CH2OCH2CH2OCH2C(=0)-proline

```
<223> AcHNCH2CH2N(CH2CH2)2NCH2C(=0)-proline
<220>
<221>
     PEPTIDE
<222>
      (1)..(5)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 12
Xaa Leu Gly Leu Leu
<210> 13
<211>
      5
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> AcN(CH2CH2)2NCH2C(=0)-proline
<220>
<221> PEPTIDE
       (1)..(5)
<222>
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 13
Xaa Leu Gly Leu Leu
                5
1
<210> 14
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
      (4)..(4)
<222>
<223> O-benzyl-serine
```

```
TOMOUNTE TOMONO
```

```
<221>
      PEPTIDE
<222>
       (1)..(4)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      14
Pro Leu Gly Xaa
<210>
       15
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
      acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(4)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 15
Xaa Leu Gly Leu
<210>
       16
<211>
       5
<212> PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
```

tide synthesizer using readily available materials well known to

ordinarily skilled artisans

```
<400> 16
Xaa Pro Leu Gly Leu
<210>
       17
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
       MOD_RES
<222>
       (3)..(3)
<223>
       sarcosine (N-methylglycine)
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 17
Xaa Pro Arg Xaa Xaa Leu
<210>
       18
<211>
       5
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
```

```
<223> acetyl-proline
     <220>
     <221> MOD_RES
     <222>
           (4)..(4)
     <223> homophenylalanine
     <220>
     <221> PEPTIDE
     <222>
            (1)..(5)
            The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 18
Xaa His Gly Xaa Leu
HUNNIN
     <210> 19
     <211> 5
     <212> PRT
     <213> Artificial Sequence
     <220>
- LIL
     <221> MOD_RES
     <222>
           (1)..(1)
     <223> acetyl-proline
T
I
     <220>
     <221> MOD_RES
     <222>
            (2)..(2)
     <223> ornithine
     <220>
     <221> MOD_RES
     <222>
           (4)..(4)
     <223> homophenylalanine
     <220>
     <221> PEPTIDE
     <222> (1)..(5)
           The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
```

```
<400> 19
     Xaa Xaa Gly Xaa Leu
     <210>
            20
     <211>
            5
     <212>
            PRT
            Artificial Sequence
     <213>
     <220>
     <221>
            MOD_RES
     <222>
            (1)..(1)
            acetyl-proline
     <223>
     <220>
     <221>
            MOD_RES
<222>
            (2)..(2)
diaminoproprionic acid
     <223>
     <220>
     <221>
            MOD_RES
H
     <222>
            (4)..(4)
<223>
            homophenylalanine
T
     <220>
<221>
            PEPTIDE
     <222>
            (1)..(5)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400>
            20
     Xaa Xaa Gly Xaa Leu
     <210>
            21
     <211>
     <212>
            PRT
            Artificial Sequence
     <213>
     <220>
     <221>
            MOD_RES
     <222>
            (1)..(1)
```

I

pel,

<223>

acetyl-proline

```
<220>
<221>
       MOD_RES
<222>
      (2)..(2)
<223> N5-aminocarbonylornithine
<220>
<221>
       MOD_RES
<222>
      (4)..(4)
<223>
       homophenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       21
Xaa Xaa Gly Xaa Leu
                5
<210>
      22
<211>
      5
<212>
      PRT
      Artificial Sequence
<213>
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223>
       (O-(3-pyridyl-)) tyrosine
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Xaa Leu Gly Xaa Leu
<210>
       23
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       (O-(4-pyridyl-)) tyrosine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 23
Xaa Leu Gly Xaa Leu
<210>
       24
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
<223>
       (4-aza-) homophenylalanine
```

```
DOBOBOSE DEEDIL
```

<223>

carbobenzyloxy-proline

```
<221> PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 24
Xaa Leu Gly Xaa Leu
<210>
       25
<211>
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223>
      (0-benzyl-) serine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 25
Xaa Leu Gly Xaa Leu
<210>
      26
<211>
       5
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
```

```
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       (0-(4-pyridylmethyl-)) tyrosine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 26
Xaa Leu Gly Xaa Leu
<210>
       27
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (3)..(3)
<223>
       sarcosine (N-methylglycine)
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      27
Xaa Leu Xaa Leu Leu
1
<210>
       28
<211>
       5
```

```
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
      (2)..(2)
<223>
       (N-Me-) leucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(2)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       28
Xaa Xaa Gly Leu Leu
                5
<210> 29
<211>
       5
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
      acetyl-proline
<223>
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223>
       (N-Me-) leucine
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
I DESIGNATION OF THE STATE OF T
```

<400>

31

Xaa Leu Gly Leu Leu

```
<400> 29
Xaa Leu Gly Xaa Leu
<210>
       30
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> acetyl 4-hydroxyproline
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      30
Xaa Leu Gly Leu Leu
<210>
       31
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-(thiazolidine-4-carbonyl)
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
5
1
<210> 32
<211>
       5
       PRT
<212>
     Artificial Sequence
<213>
<220>
       MOD_RES
<221>
<222>
       (1)..(1)
<223> acetyl-(Homo-proline)
<220>
       PEPTIDE
<221>
       (1)..(5)
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
<223>
       ordinarily skilled artisans
<400>
       32
Xaa Leu Gly Leu Leu
                 5
       33
 <210>
 <211>
       PRT
 <212>
       Artificial Sequence
 <213>
 <220>
 <221>
       MOD_RES
       (1)..(1)
 <222>
        acetyl-(Homo-proline)
 <223>
 <220>
 <221> MOD_RES
 <222> (4)..(4)
 <223> homophenylalanine
 <220>
 <221>
        PEPTIDE
        (1)..(5)
 <222>
        The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
 <223>
        ordinarily skilled artisans
```

```
Xaa Leu Gly Xaa Leu
<210>
       34
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-(Homo-proline)
<220>
<221>
       MOD_RES
<222>
       (2)..(2)
<223>
       ornithine
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
       PEPTIDE
<221>
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 34
Xaa Xaa Gly Xaa Leu
<210>
       35
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
       acetyl-Nipecotate
<223>
```

```
DABORDE LOBERT
```

```
<221>
      PEPTIDE
<222>
      (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 35
Xaa Leu Gly Leu Leu
<210> 36
<211>
<212>
       PRT
<213> Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-2-carboxyazetidine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 36
Xaa Leu Gly Leu Leu
<210>
      37
<211>
      5
<212> PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-cyclohexylglycine
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
      tide synthesizer using readily available materials well known to
```

<222>

(1)..(6)

ordinarily skilled artisans

```
<400> 37
Xaa Leu Gly Leu Leu
<210>
       38
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (2)..(2)
<223>
      valerolactam
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 38
Xaa Xaa Gly Leu Leu
1
                5
<210> 39
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
      PEPTIDE ·
```

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 39
Xaa Pro Leu Gly Leu Phe
                5
<210>
      40
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       40
Xaa Pro Leu Gly Phe Phe
                5
<210>
       41
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-leucine
<220>
<221>
      PEPTIDE
<222>
      (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

<400>

43

Xaa Gly Leu Tyr Leu

```
<400> 41
Xaa Gly Leu Tyr Leu
<210>
       42
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> cyclopropylcarbonyl-leucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      42
Xaa Gly Leu Tyr Leu
<210>
       43
<211>
       5
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
      cyclobutylcarbonyl-leucine
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
DGEDERTE OFFICE
```

```
1
                5
<210>
<211>
       5
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       pivaloyl-leucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 44
Xaa Gly Leu Tyr Leu
<210> 45
<211>
       7
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       4-hydroxproline
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 45
Xaa Gly Pro Leu Gly Leu Leu
1
                5
<210>
       46
<211>
       6
```

<220>

```
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> acetyl-proline
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 46
Xaa Leu Gly Leu Ala Leu
<210>
       47
<211>
       6
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
      acetyl-proline
<223>
<220>
<221>
      PEPTIDE
       (1)..(6)
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 47
Xaa Leu Gly Leu Tyr Leu
                5
<210>
       48
<211>
<212>
      PRT
<213>
      Artificial Sequence
```

```
TUBLESS . LEES I
```

```
<221>
      MOD_RES
<222>
       (1)..(1)
<223> polyethyleneglycol-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       48
Xaa Leu Gly Leu Tyr Leu
                5
<210>
       49
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
      H3CC(=0)NH-polyethyleneglycol-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 49
Xaa Leu Gly Leu Tyr Leu
<210>
       50
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
       AcHNCH2CH2N (CH2CH2) 2NCH2C (=0) -proline
```

```
DUBLIES TO TO THE
```

<222>

(1)..(6)

```
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 50
Xaa Leu Gly Leu Tyr Leu
                5
<210>
       51
<211>
       6
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 51
Xaa Leu Gly Leu Ser Leu
1
<210>
       52
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-glycine
<220>
<221>
      PEPTIDE
```

<223> The synthesis of this peptide may be performed on an ABI 433A pep tide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 52
Xaa Pro Leu Gly Leu Leu
<210>
       53
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> O(CH2CH2)NCH2CH2NHC(=0)-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 53
Xaa Pro Leu Gly Leu Leu
<210>
      54
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221> PEPTIDE
<222>
      (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
```

```
TUBLICATION TO THE PROPERTY OF THE PROPERTY OF
```

```
<400> 54
Xaa Pro Leu Gly Leu Tyr
<210>
       55
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 55
Xaa Leu Gly Leu Leu Leu
<210>
       56
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223>
      biphenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
```

<222>

(1)..(6)

ordinarily skilled artisans

```
<400> 56
Xaa Pro Leu Gly Xaa Phe
<210>
       57
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223>
      norleucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 57
Xaa Pro Leu Gly Xaa Phe
                5
1
<210>
       58
<211>
       6
      PRT
<212>
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       carbobenzyloxy-glycine
<220>
<221>
       PEPTIDE
```

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 58
Xaa Pro Leu Gly Leu Leu
                5
<210>
      59
<211>
      6
<212> PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> AcHNCH2CH2N(CH2CH2)2NCH2C(=0)-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 59
Xaa Pro Leu Gly Leu Leu
                5
<210> 60
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> H2NCH2CH2N(CH2CH2)2NCH2C(=0)-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
```

```
DEBOOK SERVICE
```

```
<400> 60
Xaa Pro Leu Gly Leu Leu
<210>
       61
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       N, N-dimethylglycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 61
Xaa Pro Leu Gly Leu Leu
<210>
       62
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-gamma-glutamic acid
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

Xaa Pro Leu Gly Leu Leu

62

<400>

```
1
                5
<210>
       63
<211>
       PRT
<212>
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223>
      3-thienylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       63
Xaa Pro Leu Gly Xaa Phe
<210>
       64
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
       2-phenylglycine
<223>
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
```

<223> The synthesis of this peptide may be performed on an ABI 433A pep tide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 64
Xaa Pro Leu Gly Xaa Phe
<210>
       65
<211>
<212>
       PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> methoxyacetyl-glycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 65
Xaa Pro Leu Gly Leu Leu
                5
<210> 66
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223>
      3-thienylalanine
```

```
<221> PEPTIDE
     <222>
            (1)..(6)
     <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 66
     Xaa Pro Leu Gly Xaa Leu
                     5
     <210> 67
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
<222>
           (1)..(1)
(I)
     <223> N,N-dimethylglycine
DOD
     <220>
<221> MOD_RES
     <222>
(5)..(5)
T.
     <223> 2-phenylglycine
<220>
     <221> PEPTIDE
<222>
            (1)..(6)
I
     <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 67
     Xaa Pro Leu Gly Xaa Leu
                     5
     <210> 68
     <211> 6
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
```

<223> N.N-dimethylglycine

```
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       O-benzyl-tyrosine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       68
Xaa Pro Leu Gly Xaa Leu
<210>
       69
<211>
       6
<212>
       PRT
       Artificial Sequence
<213>
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
      biphenylalanine
<223>
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       69
Xaa Pro Leu Gly Xaa Leu
                5
1
<210>
      70
<211> 6
```

```
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (6)..(6)
<223> biphenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 70
Xaa Pro Leu Gly Phe Xaa
<210>
       71
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
      MOD_RES
<222>
      (6)..(6)
<223>
      biphenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
72
     <210>
     <211>
            6
     <212>
            PRT
            Artificial Sequence
     <213>
     <220>
     <221>
            MOD_RES
     <222>
            (1)..(1)
     <223>
            acetyl-glycine
     <220>
     <221>
            MOD_RES
     <222>
            (5)..(5)
C
     <223>
            2-naphthylalanine
<220>
            MOD_RES
     <221>
     <222>
            (6)..(6)
T
     <223>
            biphenylalanine
ij
<220>
     <221>
            PEPTIDE
F
     <222>
            (1)..(6)
HI
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
           72
     <400>
     Xaa Pro Leu Gly Xaa Xaa
     <210>
            73
     <211>
            6
     <212>
            PRT
     <213>
            Artificial Sequence
```

<220> <221>

<222>

<223>

MOD_RES

(1)..(1)

acetyl-glycine

<400> 71

Xaa Pro Leu Gly Leu Xaa

```
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 73
Xaa Pro Leu Gly Phe Ala
                 5
<210>
       74
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       biphenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 74
Xaa Pro Leu Gly Xaa Ala
<210>
       75
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
```

<220>

```
<223> acetyl-glycine
 <220>
 <221>
        PEPTIDE
 <222>
        (1)..(6)
 <223>
       The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
        ordinarily skilled artisans
<400>
      75
Xaa Pro Leu Gly Leu Ala
                 5
<210>
       76
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221> MOD_RES
<222>
       (5)..(5)
<223>
       O-benzyl-tyrosine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 76
Xaa Pro Leu Gly Xaa Phe
<210>
      77
<211>
      6
<212>
     PRT
<213>
     Artificial Sequence
```

```
<221>
       MOD_RES
<222>
        (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 77
Xaa Pro Gln Gly Leu Leu
<210>
       78
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 78
Xaa Pro Arg Gly Leu Leu
<210>
       79
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
```

```
<220>
<221>
       MOD_RES
<222>
       (6)..(6)
       4-pyridyl-alanine
<223>
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 79
Xaa Pro Leu Gly Leu Xaa
<210>
       80
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 80
Xaa Pro Leu Gly Leu Arg
<210>
       81
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
```

```
<223> acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       81
Xaa Pro Leu Gly Leu Trp
                5
<210>
       82
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
      (1)..(1)
<222>
<223>
       acetyl-glycine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       82
Xaa Pro Leu Gly Val Leu
                5
<210>
       83
<211>
       6
<212>
       PRT
       Artificial Sequence
<213>
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
```

```
<221> MOD_RES
         (5)..(5)
  <222>
         homophenylalanine
  <223>
  <220>
         PEPTIDE
   <221>
         The synthesis of this peptide may be performed on an ABI 433A pep
   <222>
          tide synthesizer using readily available materials well known to
   <223>
          ordinarily skilled artisans
   <400> 83
   Xaa Pro Leu Gly Xaa Leu
   1
           84
    <210>
<211>
           PRT
    <212>
           Artificial Sequence
<213>
    <220>
           MOD_RES
    <221>
U.
           (1)..(1)
    <222>
           acetyl-glycine
U
    <223>
<220>
            PEPTIDE
HUDUL
    <221>
           The synthesis of this peptide may be performed on an ABI 433A pep
     <222>
            tide synthesizer using readily available materials well known to
     <223>
            ordinarily skilled artisans
     <400> 84
     Xaa Pro Leu Ala Leu Leu
             85
     <210>
      <211>
             6
             PRT
      <212>
            Artificial Sequence
      <213>
      <220>
            MOD_RES
      <221>
             (1)..(1)
      <222>
      <223> N,N-dimethylglycine
```

```
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223> biphenylalanine
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 85
Xaa Pro Ile Gly Xaa Leu
<210>
       86
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
      MOD_RES
<222>
      (3)..(3)
<223> cyclohexylglycine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223>
      biphenylalanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
5
    <210>
           87
    <211>
           6
    <212>
          PRT
    <213>
           Artificial Sequence
    <220>
    <221>
           MOD_RES
    <222>
           (1)..(1)
    <223>
           acetyl-glycine
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(6)
    <223>
           The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
ordinarily skilled artisans
    <400> 87
J)
   Xaa Pro Val Gly Leu Leu
L.
                    5
<210>
           88
<211>
           6
   <212>
           PRT
T
   <213>
           Artificial Sequence
I
<220>
   <221>
          MOD_RES
   <222>
           (1)..(1)
          N, N-dimethylglycine
   <223>
   <220>
   <221>
           PEPTIDE
   <222>
           (1)..(6)
           The synthesis of this peptide may be performed on an ABI 433A pep
   <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
   <400>
          88
   Xaa Pro Ile Gly Leu Leu
   1
                    5
```

Xaa Pro Xaa Gly Xaa Leu

```
<211>
           6
    <212>
          PRT
    <213>
          Artificial Sequence
    <220>
    <221>
          MOD_RES
    <222>
          (1)..(1)
    <223> N,N-dimethylglycine
    <220>
    <221>
          MOD_RES
    <222>
           (5)..(5)
    <223> biphenylalanine
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(6)
<223>
          The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
ordinarily skilled artisans
    <400> 89
T.
   Xaa Pro Arg Gly Xaa Leu
T
   <210>
          90
<211>
           6
    <212>
          PRT
    <213>
          Artificial Sequence
    <220>
    <221>
          MOD_RES
    <222>
          (1)..(1)
    <223>
          acetyl-glycine
   <220>
   <221>
          MOD_RES
   <222>
          (6)..(6)
    <223>
          O-benzyl-tyrosine
   <220>
   <221>
          PEPTIDE
   <222>
           (1)..(6)
          The synthesis of this peptide may be performed on an ABI 433A pep
   <223>
          tide synthesizer using readily available materials well known to
```

<210>

89

<222>

(1)..(6)

ordinarily skilled artisans

```
<400> 90
Xaa Pro Leu Gly Leu Xaa
<210>
       91
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 91
Xaa Pro Leu Gly Glu Leu
<210> 92
<211> 6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
      N, N-dimethylglycine
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> biphenylalanine
<220>
<221>
      PEPTIDE
```

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 92
Xaa Pro Lys Gly Xaa Leu
<210>
       93
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 93
Xaa Pro Leu Gly Leu Glu
<210>
      94
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221> MOD_RES
<222>
       (5)..(5)
<223>
      biphenylalanine
```

```
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 94
Xaa Pro Leu Gly Xaa Glu
                5
<210> 95
<211>
       7
<212> PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
<223>
       sarcosine (N-methylglycine)
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223>
      homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      95
Xaa Pro Arg Xaa Xaa Arg Leu
1
                5
<210>
       96
<211>
      7
<212>
      PRT
<213> Artificial Sequence
```

```
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       96
Xaa Pro Arg Gly Xaa Arg Leu
                5
<210> 97
<211>
       7
<212> PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223>
      biphenylalanine
<220>
<221>
      PEPTIDE
<222>
       (1)..(7)
<223>
      The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Xaa Pro Arg Gly Xaa Arg Leu
<210>
       98
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 98
Xaa Pro Leu Gly Asn Leu
<210>
       99
<211> 6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       99
Xaa Pro Leu Gly Ser Leu
```

```
<210>
       100
<211>
       PRT
<212>
<213>
      Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
      acetyl-glycine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223>
      4-hydroxy-phenyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 100
Xaa Pro Leu Gly Xaa Leu
<210>
       101
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
      (4)..(4)
<223>
      homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
```

<222>

(4)..(4)

ordinarily skilled artisans

```
<400> 101
Xaa Leu Gly Xaa His Leu
<210>
       102
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
      homophenylalanine
<223>
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 102
Xaa Leu Gly Xaa Ala Leu
1
                5
<210>
      103
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
      acetyl-proline
<223>
<220>
<221>
      MOD_RES
```

```
DANDENJE DEFECT
```

```
<223> homphenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 103
Xaa Leu Gly Xaa Tyr Leu
<210>
      104
<211>
       6
<212>
       PRT
<213> Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221> MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223>
       morpholinylpropyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      104
Xaa Leu Gly Xaa Xaa Leu
```

```
<210>
       105
<211>
       7
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-gamma-glutamic acid
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      105
Xaa Pro Leu Gly Xaa Tyr Leu
<210>
       106
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       succinyl-proline
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
```

tide synthesizer using readily available materials well known to

ordinarily skilled artisans

I

إزا

<222>

(1)..(1)

```
<400> 106
Xaa Leu Gly Xaa Tyr Leu
                 5
<210>
       107
<211>
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
       (0-(4-pyridylmethyl)-tyrosine)
<223>
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
      homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
       107
<400>
Xaa Leu Gly Xaa Xaa Leu
<210>
       108
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
```

```
<221> MOD_RES
                    <222>
                                               (4)..(4)
                    <223> homo-tyrosine
                    <220>
                    <221>
                                               PEPTIDE
                    <222>
                                               (1)..(6)
                    <223>
                                                The synthesis of this peptide may be performed on an ABI 433A pep
                                                tide synthesizer using readily available materials well known to
                                                ordinarily skilled artisans
                    <400> 108
                   Xaa Leu Gly Xaa Tyr Leu
PUDITION OF THE PROPERTY OF TH
                   <210>
                                            109
                   <211> 6
                   <212> PRT
                   <213> Artificial Sequence
                   <220>
                   <221> MOD_RES
                   <222>
                                              (1)..(1)
                   <223> acetyl-proline
                   <220>
                   <221>
                                               MOD_RES
                   <222>
                                              (4)..(4)
                   <223>
                                            4-aza-homophenylalanine
                   <220>
                  <221>
                                              PEPTIDE
                   <222>
                                              (1)..(6)
                                               The synthesis of this peptide may be performed on an ABI 433A pep
                  <223>
                                               tide synthesizer using readily available materials well known to
                                               ordinarily skilled artisans
                  <400>
                                              109
```

<223> acetyl-proline

Xaa Leu Gly Xaa Tyr Leu

<220>

```
LOBOBY - DESET
```

```
<210>
       110
<211>
        6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       (0-(4-pyridyl-)-tyrosine)
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 110
Xaa Leu Gly Xaa Tyr Leu
                 5
<210> 111
<211>
       6
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221> MOD_RES
<222>
       (4)..(4)
<223>
       phenylpropyl-glycine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
```

<222>

(4)..(4)

ordinarily skilled artisans

```
<400> 111
Xaa Leu Gly Xaa Tyr Leu
<210>
      112
<211>
       6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (4)..(4)
<223> styryl-alanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 112
Xaa Leu Gly Xaa Tyr Leu
                5
<210> 113
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
```

```
TOMONO. SERBORD
```

```
<223> O-benzyl-serine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 113
Xaa Leu Gly Xaa Tyr Leu
                5
<210>
       114
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (2)..(2)
<223>
       N, N-dimethyl-lysine
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 114
Xaa Xaa Gly Xaa Tyr Leu
                5
```

```
DUBLIST OFFILL
```

```
<210> 115
<211>
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
      acetylproline
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       diaminopropionic acid
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      115
Xaa Leu Gly Xaa Xaa Leu
                5
<210>
      116
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
```

```
<222>
            (5)..(5)
     <223>
            ornithine
     <220>
     <221>
            PEPTIDE
     <222>
            (1)..(6)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 116
     Xaa Leu Gly Xaa Xaa Leu
<210>
            117
     <211>
            6
     <212>
            PRT
     <213>
            Artificial Sequence
4
     <220>
<221>
            MOD_RES
     <222>
            (1)..(1)
7
     <223>
            polyethyleneglycol-proline
Ti
<220>
     <221>
            MOD_RES
     <222>
            (4)..(4)
            homophenylalanine
     <223>
     <220>
     <221>
            MOD_RES
     <222>
            (5)..(5)
     <223>
            ornithine
     <220>
     <221>
            PEPTIDE
```

<220><221>

MOD_RES

(1)..(6)

ordinarily skilled artisans

The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to

<222>

<223>

```
DEPERSE OFFICE
```

```
Xaa Leu Gly Xaa Xaa Leu
<210> 118
<211>
       7
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
       (5)..(5)
<222>
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
      (6)..(6)
<223> ornithine
<220>
<221>
      PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      118
Xaa Pro Leu Gly Xaa Xaa Leu
<210> 119
<211>
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
      gamma-glutamic acid
```

```
DINDERGE DECEMBER
```

<223>

ornithine

```
<221>
      MOD_RES
<222>
      (5)..(5)
<223>
      homophenylalanine
<220>
<221>
      MOD_RES
<222>
       (6)..(6)
<223>
      ornithine
<220>
<221>
      PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 119
Xaa Pro Leu Gly Xaa Xaa Leu
                5
<210>
      120
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
<220>
<221> MOD_RES
<222>
       (2)..(2)
<223>
      ornithine
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
```

```
<210>
             121
     <211>
             6
     <212>
            PRT
     <213>
<220>
     <221>
<222>
     <223>
     <220>
L
     <221>
     <222>
ij
     <223>
TI
TI
DI
     <220>
     <221>
     <222>
     <223>
     <220>
     <221>
     <222>
     <223>
```

```
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      120
Xaa Xaa Gly Xaa Xaa Leu
      Artificial Sequence
       MOD_RES
       (1)..(1)
       acetyl-proline
       MOD_RES
       (2)..(2)
       ornithine
       MOD_RES
       (4)..(4)
       homophenylalanine
       PEPTIDE
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      121
Xaa Xaa Gly Xaa Tyr Leu
<210>
      122
<211>
      7
```

```
DAMDARJU ODEBU
```

```
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222> (3)..(3)
<223> ornithine
<220>
<221> MOD_RES
<222> (5)..(5)
<223> homophenylalanine
<220>
<221> PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 122
Xaa Pro Xaa Gly Xaa Glu Leu
<210>
      123
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221> MOD_RES
<222> (2)..(2)
<223> ornithine
```

<223>

acetyl-proline

```
<221> PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 123
Xaa Xaa Gly Leu Tyr Leu
<210>
      124
<211>
       6
<212> PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
<222>
       (2)..(2)
       4-aza-phenylalanine
<223>
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 124
Xaa Xaa Gly Leu Tyr Leu
<210>
       125
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
```

```
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
       homophenylalanine
<223>
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       2,4-diaminobutanoic acid
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 125
Xaa Leu Gly Xaa Xaa Leu
                5
<210>
       126
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
       acetyl-proline
<223>
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Xaa Leu Gly Xaa Lys Leu
                5
1
<210>
      127
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
<223>
      homophenylalanine
<220>
<221>
      MOD_RES
      (5)..(5)
<222>
<223> N,N-dimethyl-lysine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      127
Xaa Leu Gly Xaa Xaa Leu
<210>
      128
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
      N, N-dimethylglycine
<223>
```

```
<221> MOD_RES
           (5)..(5)
    <222>
    <223> homophenylalanine
    <220>
    <221> MOD_RES
    <222>
          (6)..(6)
    <223> N,N-dimethyl-lysine
    <220>
    <221> PEPTIDE
    <223> The synthesis of this peptide may be performed on an ABI 433A pep
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
<400> 128
    Xaa Pro Leu Gly Xaa Xaa Leu
T)
                     5
FEED
     <210> 129
     <211> 6
T
     <212> PRT
     <213> Artificial Sequence
<220>
L
     <221> MOD_RES
     <222> (1)..(1)
<223> polyethyleneglycol-proline
     <220>
     <221> MOD_RES
            (4)..(4)
     <222>
     <223> homophenylalanine
     <220>
     <221> MOD_RES
     <222>
            (5)..(5)
            N, N-dimethyl-lysine
     <223>
      <220>
      <221>
            PEPTIDE
            The synthesis of this peptide may be performed on an ABI 433A pep
             (1)..(6)
      <222>
             tide synthesizer using readily available materials well known to
      <223>
```

ordinarily skilled artisans

<222>

(1)..(1)

```
129
    <400>
    Xaa Leu Gly Xaa Xaa Leu
    <210>
           130
           7
    <211>
          PRT
    <212>
           Artificial Sequence
    <213>
    <220>
          MOD_RES
    <221>
    <222> (1)..(1)
    <223> acetyl-gamma-glutamic acid
<220>
    <221>
           MOD_RES
C
    <222>
            (5)..(5)
    <223> homophenylalanine
<220>
     <221> MOD_RES
           (6)..(6)
     <222>
<223> N,N-dimethyl-lysine
     <220>
            PEPTIDE
     <221>
     <222>
            (1)..(7)
            The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
     <223>
            ordinarily skilled artisans
     <400> 130
     Xaa Pro Leu Gly Xaa Xaa Leu
     <210>
            131
     <211>
            7
     <212>
            PRT
            Artificial Sequence
     <213>
     <220>
            MOD_RES
      <221>
```

```
<223> gamma-glutamic acid
<220>
     MOD_RES
<221>
      (5)..(5)
<222>
<223> homophenylalanine
<220>
<221> MOD_RES
       (6)..(6)
<222>
<223> N,N-dimethyl-lysine
<220>
      PEPTIDE
<221>
       The synthesis of this peptide may be performed on an ABI 433A pep
<222>
       (1)..(7)
       tide synthesizer using readily available materials well known to
<223>
       ordinarily skilled artisans
 <400> 131
Xaa Pro Leu Gly Xaa Xaa Leu
                 5
 <210>
        132
 <211>
       6
 <212>
       PRT
        Artificial Sequence
 <213>
 <220>
 <221> MOD_RES
 <222>
        (1)..(1)
        acetyl-proline
 <223>
 <220>
 <221> MOD_RES
        (4)..(4)
  <222>
        homophenylalanine
  <223>
  <220>
        MOD_RES
  <221>
        (5)..(5)
  <222>
  <223> N,N-dimethyl-lysine
```

```
<221> MOD_RES
     <222> (6)..(6)
     <223> norleucine
     <220>
     <221>
            PEPTIDE
     <222>
            (1)..(6)
     <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 132
     Xaa Leu Gly Xaa Xaa Xaa
     <210> 133
<211> 6
     <212> PRT
     <213> Artificial Sequence
<220>
     <221> MOD_RES
إيا
     <222>
           (1)..(1)
     <223> acetyl-proline
T
ij
<220>
T
     <221> MOD_RES
<222> (4)..(4)
I
     <223> homophenylalanine
7
1
     <220>
     <221> MOD_RES
     <222>
           (5)..(5)
     <223> N, N-dimethyl-lysine
     <220>
     <221> MOD_RES
     <222>
           (6)..(6)
     <223> cyclohexylalanine
     <220>
     <221>
           PEPTIDE
     <222>
            (1)..(6)
     <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
```

tide synthesizer using readily available materials well known to

ordinarily skilled artisans

```
<400> 133
     Xaa Leu Gly Xaa Xaa Xaa
     <210> 134
     <211>
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
     <223> acetyl-proline
     <220>
     <221> MOD_RES
<222>
(4)..(4)
<223> homophenylalanine
7
     <220>
<221> MOD_RES
<222>
           (5)..(5)
     <223> N5-aminocarbonylornithine
T
TJ
ij
     <220>
     <221> PEPTIDE
<222>
            (1)..(6)
þd,
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 134
     Xaa Leu Gly Xaa Xaa Leu
                     5
     1
     <210> 135
     <211>
            7
     <212> PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
     <222> (1)..(1)
```

```
DUBURGE DEFECT
```

```
<223> acetyl-gamma-glutamic acid
<220>
<221> MOD_RES
<222>
      (5)..(5)
<223> homophenylalanine
<220>
<221>
     MOD_RES
<222>
      (6)..(6)
<223> N5-aminocarbonylornithine
<220>
<221> PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 135
Xaa Pro Leu Gly Xaa Xaa Leu
<210> 136
<211>
      6
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
     MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
     PEPTIDE
      (1)..(6)
<222>
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Xaa Leu Gly Xaa Gln Leu
      1
      <210>
             137
      <211>
             6
      <212>
             PRT
      <213>
            Artificial Sequence
      <220>
      <221>
            MOD_RES
      <222>
            (1)..(1)
      <223>
           acetyl-proline
     <220>
     <221>
            MOD_RES
     <222>
            (4)..(4)
<223>
            homophenylalanine
     <220>
T)
     <221>
            MOD_RES
     <222>
             (5)..(5)
            4-aza-phenylalanine
     <223>
<220>
TI
     <221>
            PEPTIDE
T.
     <222>
            (1)..(6)
I
     <223>
            The synthesis of this peptide may be performed on an ABI 433A pep
tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 137
     Xaa Leu Gly Xaa Xaa Leu
     <210>
            138
     <211>
            6
     <212>
            PRT
     <213>
            Artificial Sequence
```

<400> 136

<220> <221>

<222>

<223>

MOD_RES

(1)..(1)

acetyl-proline

```
<220>
     <221>
            PEPTIDE
     <222>
            (1)..(6)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 138
     Xaa Leu Gly Xaa Val Leu
<210>
            139
     <211>
     <212>
           PRT
     <213> Artificial Sequence
     <220>
     <221> MOD_RES
<222>
           (1)..(1)
<223>
            acetyl-gamma-glutamic acid
     <220>
<221> MOD_RES
     <222>
            (5)..(5)
     <223> homophenylalanine
     <220>
     <221> PEPTIDE
     <222>
            (1)..(7)
            The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
     <400> 139
     Xaa Pro Leu Gly Xaa Glu Leu
```

<210> 140 <211> 6

<220>

<222>

<223>

<221> MOD_RES

(4)..(4)

homophenylalanine

```
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223> acetyl-glycine
<220>
<221>
      MOD_RES
<222>
      (2)..(2)
<223> 2-carboxyazetidine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 140
Xaa Xaa Leu Gly Leu Leu
                5
<210>
      141
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
      acetyl-(4-fluoro-phenylalanine)
<223>
<220>
<221>
      PEPTIDE
<222>
      (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 141
Xaa Leu Gly Leu Leu
                5
```

```
<210>
        142
<211>
        6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       142
Xaa Leu Gly Leu Tyr Leu
<210>
       143
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-homophenylalanine
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       ornithine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
```

ordinarily skilled artisans

```
<400>
      143
Xaa Leu Gly Xaa Xaa Leu
                 5
<210>
       144
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> acetyl-2-carboxyazetidine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 144
Xaa Leu Gly Leu Tyr Leu
<210>
       145
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-2-carboxyazetidine
<220>
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221> MOD_RES
<222>
      (5)..(5)
```

```
<223> ornithine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 145
Xaa Leu Gly Xaa Xaa Leu
<210> 146
<211>
       6
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
       MOD_RES
       (1)..(1)
<222>
<223>
       acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 146
Xaa Leu Gly Leu Tyr Gly
<210>
       147
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
```

```
<221>
       MOD_RES
 <222>
       (4)..(4)
 <223> homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
        ordinarily skilled artisans
<400>
       147
Xaa Leu Gly Xaa Tyr Gly
<210>
       148
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221> MOD_RES
<222>
       (6)..(6)
<223> beta-homo-leucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       148
Xaa Leu Gly Leu Tyr Xaa
                5
<210>
       149
<211>
       6
<212>
      PRT
<213> Artificial Sequence
```

```
<221>
           MOD_RES
     <222>
           (4)..(4)
     <223>
           homophenylalanine
     <220>
     <221>
           MOD_RES
     <222>
           (6)..(6)
     <223> beta-homo-leucine
     <220>
<221>
           PEPTIDE
L
     <222>
           (1)..(6)
The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
tide synthesizer using readily available materials well known to
ordinarily skilled artisans
T
L
     <400> 149
Xaa Leu Gly Xaa Tyr Xaa
T
I
     <210>
           150
     <211>
           6
     <212>
           PRT
     <213>
           Artificial Sequence
     <220>
           MOD_RES
     <221>
     <222>
           (1)..(1)
     <223> acetyl-proline
     <220>
           MOD_RES
     <221>
     <222>
           (6)..(6)
     <223> beta-alanine
```

<220> <221>

<222>

PEPTIDE

(1)..(6)

<220> <221>

<222>

<220>

MOD_RES

(1)..(1)<223> acetyl-proline <223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans
<400> 150

```
Xaa Leu Gly Leu Tyr Xaa
<210>
       151
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-proline
<220>
<221> MOD_RES
<222>
      (6)..(6)
<223> 6-aminohexanoic acid
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 151
Xaa Leu Gly Leu Tyr Xaa
<210> 152
<211>
       6
<212>
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
```

```
<221>
       MOD_RES
<222>
       (6)..(6)
<223>
       4-amino-5-phenylpentanoic acid
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 152
Xaa Leu Gly Leu Tyr Xaa
                 5
<210>
       153
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
       (6)..(6)
<223>
       4-amino-7-methylheptanoic acid
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 153
Xaa Leu Gly Leu Tyr Xaa
1
                5
<210>
       154
<211>
      7
<212>
      PRT
<213> Artificial Sequence
```

```
DUBLIEBUTE OFFICE
```

```
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 154
Xaa Leu Gly Leu Leu Ala Leu
<210>
       155
<211>
       7
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223> acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       155
Xaa Leu Gly Leu Tyr Ala Leu
1
<210>
       156
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
```

```
<223> acetyl-glycine
<220>
<221>
     PEPTIDE
<222>
      (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 156
Xaa Pro Leu Gly Leu Ala Leu
                5
1
<210>
      157
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       157
Xaa Leu Gly Leu Ala Ala Leu
1
<210>
       158
<211>
      7
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221> MOD_RES
       (1)..(1)
<222>
       acetyl-proline
<223>
```

```
LAMINATE DEPOSIT
```

```
PEPTIDE
<221>
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 158
Xaa Leu Gly Leu Ala Leu Leu
                5
<210> 159
<211>
<212>
     PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222> (1)..(1)
<223> acetyl-proline
<220>
<221>
      PEPTIDE
<222>
      (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 159
Xaa Leu Gly Leu Leu Ser Leu
                5
<210> 160
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
```

<222>

(1)..(7)

ordinarily skilled artisans

```
<400> 160
Xaa Leu Gly Leu Leu Leu
<210>
      161
<211>
       7
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
      PEPTIDE
<222>
      (1)..(7)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 161
Xaa Pro Leu Gly Leu Tyr Leu
<210>
      162
<211>
      7
<212>
      PRT
<213>
      Artificial Sequence
<220>
      MOD_RES
<221>
<222>
      (1)..(1)
<223> N,N-dimethylglycine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223>
      2-phenylglycine
<220>
      PEPTIDE
<221>
```

<223>

The synthesis of this peptide may be performed on an ABI 433A pep tide synthesizer using readily available materials well known to ordinarily skilled artisans <400> 162 Xaa Pro Arg Gly Xaa Tyr Leu <210> 163 <211> PRT<212> <213> Artificial Sequence <220> <221> MOD_RES (1)..(1)<222> <223> acetyl-glycine <220> <221> PEPTIDE <222> (1)..(7)The synthesis of this peptide may be performed on an ABI 433A pep <223> tide synthesizer using readily available materials well known to ordinarily skilled artisans <400> 163 Xaa Pro Leu Gly Leu Arg Leu <210> 164 <211> <212> PRT<213> Artificial Sequence <220> <221> MOD_RES <222> (1)..(1)

4-(2-(5,6,7,8-tetrahydronaphthenyl))butyl-glycine

<223>

<220> <221>

<222>

MOD_RES

(2)..(2) <223> homophenylalanine

```
<221>
      PEPTIDE
<222>
      (1)..(4)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
<400> 164
Xaa Xaa Tyr Leu
<210>
      165
<211>
      6
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
     homophenylalanine
<223>
<220>
<221>
      MOD_RES
<222> (5)..(5)
<223> N-methylpiperazinepropyl-glycine
<220>
      PEPTIDE
<221>
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 165
Xaa Leu Gly Xaa Xaa Leu
                5
       166
<210>
<211>
       6
<212>
      PRT
<213> Artificial Sequence
```

```
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
      tetrazoleacetyl-proline
<223>
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
      homophenylalanine
<223>
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 166
Xaa Leu Gly Xaa Tyr Leu
<210>
       167
<211>
       6
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (1)..(1)
       tetrazoleacetyl-proline
<223>
<220>
<221>
       MOD_RES
<222>
      (4)..(4)
<223>
      O-benzyl-serine
<220>
       PEPTIDE
<221>
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
Xaa Leu Gly Xaa Tyr Leu
                5
1
<210>
       168
<211>
      6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       tetrazoleacetyl-proline
<220>
      MOD_RES
<221>
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       MOD_RES
       (6)..(6)
<222>
<223>
      norleucine
<220>
       PEPTIDE
<221>
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 168
Xaa Leu Gly Xaa Tyr Xaa
                5
1
<210>
       169
<211>
<212>
       PRT
       Artificial Sequence
<213>
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
<223>
      O-benzyl-serine
```

```
<221>
      PEPTIDE
<222>
      (1)..(6)
<223> The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 169
Pro Leu Gly Xaa Tyr Leu
<210> 170
<211>
       6
<212>
       PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223> homo-tyrosine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 170
Xaa Leu Gly Xaa Xaa Leu
                5
<210>
      171
<211>
       6
<212> PRT
<213> Artificial Sequence
```

```
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (2)..(2)
<223>
      4-aza-hydroxy-phenylalanine
<220>
      MOD_RES
<221>
<222>
      (4)..(4)
<223>
      4-aza-hydroxy-phenylalanine
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 171
Xaa Xaa Gly Xaa Tyr Leu
<210>
       172
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
      MOD_RES
<221>
<222>
      (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
     O-allyl-serine
<223>
<220>
<221>
       PEPTIDE
<222>
      (1)..(6)
```

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans
<400> 172
Xaa Leu Gly Xaa Tyr Leu

```
5
<210>
      173
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
      acetyl-proline
<223>
<220>
<221> MOD_RES
      (4)..(4)
<222>
      4-nitro-homophenylalanine
<223>
<220>
<221> PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 173
Xaa Leu Gly Xaa Tyr Leu
                5
1
<210>
      174
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (1)..(1)
```

<223>

acetyl-proline

```
DARDADDE DEFENT
```

Xaa Leu Gly Xaa Tyr Leu

```
<221> MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
<223>
      4-aza-hydroxy-phenylalanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
      tide synthesizer using readily available materials well known to
      ordinarily skilled artisans
<400> 174
Xaa Leu Gly Xaa Xaa Leu
<210>
      175
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
     (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> O-methyl-serine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 175
```

```
<210>
            176
     <211>
            7
     <212>
            PRT
     <213>
            Artificial Sequence
     <220>
     <221>
            MOD_RES
     <222>
            (1)..(1)
     <223>
            acetyl-gamma-glutamic acid
     <220>
     <221>
            MOD_RES
     <222>
            (5)..(5)
     <223> O-benzyl-serine
     <220>
     <221>
            PEPTIDE
4
     <222>
            (1)..(7)
The synthesis of this peptide may be performed on an ABI 433A pep
     <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
D)
L
     <400>
            176
Xaa Pro Leu Gly Xaa Tyr Leu
Jì
T.
I
     <210>
            177
     <211>
            7
     <212>
            PRT
     <213>
            Artificial Sequence
     <220>
     <221>
           MOD_RES
     <222>
            (1)..(1)
     <223>
            acetyl-gamma-glutamic acid
     <220>
     <221>
            MOD_RES
     <222>
            (5)..(5)
     <223>
            O-benzyl-serine
```

5

1

<220> <221>

<222>

MOD_RES

(7)..(7)

```
DUBLIANT - DEFINIT
```

<220>

```
<223> norleucine
 <220>
<221>
       PEPTIDE
<222>
        (1)..(7)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
        ordinarily skilled artisans
<400> 177
Xaa Pro Leu Gly Xaa Tyr Xaa
1
                 5
<210>
       178
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
<223>
       3-pyridinecarbonyl-proline.
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       178
Xaa Leu Gly Xaa Tyr Leu
1
                5
<210> 179
<211>
      6
<212> PRT
<213> Artificial Sequence
```

<223> norleucine

```
<221> MOD_RES
<222>
      (1)..(1)
<223> 2-pyrazinecarbonyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homophenylalanine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 179
Xaa Leu Gly Xaa Tyr Leu
                5
<210> 180
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
     MOD_RES
<222> (1)..(1)
<223>
      acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
      homophenylalanine
<223>
<220>
<221>
      MOD_RES
<222>
       (5)..(5)
<223>
       dimethyl-lysine
<220>
<221>
      MOD_RES
<222>
       (6)..(6)
```

```
T)
FL.
```

```
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       180
Xaa Leu Gly Xaa Xaa Xaa
<210>
       181
<211>
       6
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
       MOD_RES
<222>
      (1)..(1)
<223>
       acetyl-proline
<220>
<221>
       MOD_RES
<222>
      (4)..(4)
<223>
      homophenylalanine
<220>
<221>
       MOD_RES
<222>
       (6)..(6)
<223>
      homoserine
<220>
<221>
       PEPTIDE
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 181
Xaa Leu Gly Xaa Tyr Xaa
                5
1
<210>
       182
<211> 6
```

```
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221> MOD_RES
<222>
      (1)..(1)
<223>
     acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> homo-phenylalanine
<220>
<221>
      MOD_RES
<222>
      (6)..(6)
      homo-leucine
<223>
<220>
<221>
      PEPTIDE
      (1)..(6)
<222>
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
     182
Xaa Leu Gly Xaa Tyr Xaa
<210>
      183
<211>
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223> acetyl-proline
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> O-benzyl-threonine
```

<213> Artificial Sequence

```
<221>
     PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 183
Xaa Leu Gly Xaa Tyr Leu
<210>
       184
<211>
<212>
      PRT
      Artificial Sequence
<213>
<220>
<221>
      MOD_RES
<222>
      (1)..(1)
<223>
      acetyl-gamma-glutamic acid
<220>
<221>
      MOD_RES
<222>
      (5)..(5)
      homophenylalanine
<223>
<220>
<221>
      MOD_RES
<222>
       (7)..(7)
<223> norleucine
<220>
<221>
      PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      184
Xaa Pro Leu Gly Xaa Tyr Xaa
                5
<210>
      185
<211>
       7
<212>
      PRT
```

<222>

(1)..(7)

```
<220>
<221>
       MOD_RES
<222>
       (1)..(1)
       gamma-glutamic acid
<223>
<220>
<221>
       MOD_RES
<222>
       (3)..(3)
<223>
       ornithine
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 185
Xaa Pro Xaa Gly Xaa Glu Leu
<210>
       186
<211>
       7
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
      (1)..(1)
<223>
       gamma-glutamic acid
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       O-benzyl-serine
<220>
<221>
       PEPTIDE
```

<213>

<220>

Artificial Sequence

```
The synthesis of this peptide may be performed on an ABI 433A pep
        tide synthesizer using readily available materials well known to
        ordinarily skilled artisans
 <400> 186
 Xaa Pro Leu Gly Xaa Tyr Leu
 <210>
        187
 <211>
        7
 <212>
        PRT
 <213>
        Artificial Sequence
 <220>
 <221>
       MOD_RES
 <222>
       (1)..(1)
 <223>
       gamma-glutamic acid
<220>
<221>
       MOD_RES
<222>
       (5)..(5)
<223>
       O-benzyl-serine
<220>
<221>
       MOD_RES
<222>
       (7)..(7)
<223>
       norleucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(7)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       187
Xaa Pro Leu Gly Xaa Tyr Xaa
                5
<210>
      188
<211>
       6
<212>
      PRT
```

```
<221>
     MOD_RES
<222>
      (4)..(4)
<223> O-benzyl-serine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       188
Pro Leu Gly Xaa Tyr Leu
<210>
      189
<211>
       6
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> O-methyl-serine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 189
Pro Leu Gly Xaa Tyr Leu
<210> 190
<211>
       6
<212>
       PRT
       Artificial Sequence
<213>
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
       4-aza-hydroxy-phenylalanine
<223>
```

```
DOMOSSU - DSENDI
```

(1)..(6)

<222>

```
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 190
Pro Leu Gly Xaa Tyr Leu
                5
<210>
       191
<211>
       6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
       MOD_RES
      (4)..(4)
<222>
<223> homophenylalanine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 191
Pro Leu Gly Xaa Tyr Leu
                5
<210>
       192
<211>
       6
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
       homophenylalanine
<223>
<220>
<221>
       PEPTIDE
```

<223> The synthesis of this peptide may be performed on an ABI 433A peptide synthesizer using readily available materials well known to ordinarily skilled artisans

```
<400> 192
Pro Leu Gly Xaa Glu Leu
<210>
      193
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> O-benzyl-serine
<220>
<221>
      MOD_RES
<222>
      (6)..(6)
<223> norleucine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 193
Pro Leu Gly Xaa Tyr Xaa
<210>
     194
<211>
      6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
<223> O-methyl-serine
```

<213> Artificial Sequence

```
<221> MOD_RES
<222>
      (6)..(6)
<223> norleucine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 194
Pro Leu Gly Xaa Tyr Xaa
                5
<210> 195
<211>
      6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
      4-aza-hydroxy-phenylalanine
<223>
<220>
<221>
      MOD_RES
<222>
      (6)..(6)
<223> norleucine
<220>
<221>
      PEPTIDE
<222>
      (1)..(6)
      The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 195
Pro Leu Gly Xaa Tyr Xaa
                5
1
<210> 196
<211>
      6
<212> PRT
```

```
<221>
           MOD_RES
    <222>
           (4)..(4)
    <223> homophenylalanine
    <220>
    <221>
           MOD_RES
    <222>
           (6)..(6)
          norleucine
    <223>
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(6)
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
<400> 196
Pro Leu Gly Xaa Tyr Xaa
                     5
L
    <210>
           197
    <211>
    <212>
          PRT
<213> Artificial Sequence
<220>
T
    <221>
           MOD_RES
<222>
           (4)..(4)
           homophenylalanine
<del>|---|-</del>
    <223>
    <220>
    <221>
           MOD_RES
    <222>
           (6)..(6)
    <223>
          norleucine
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(6)
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
            tide synthesizer using readily available materials well known to
            ordinarily skilled artisans
```

<220>

4

```
Pro Leu Gly Xaa Glu Xaa
                5
<210>
      198
<211>
      6
<212>
      PRT
<213>
       Artificial Sequence
<220>
<221>
       MOD_RES
<222>
       (4)..(4)
<223>
      O-benzyl-serine
<220>
<221>
      MOD_RES
<222>
       (6)..(6)
<223>
      homoleucine
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 198
Pro Leu Gly Xaa Tyr Xaa
<210>
       199
<211>
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
<223>
       O-methyl-serine
<220>
<221>
      MOD_RES
<222>
       (6)..(6)
      homoleucine
<223>
```

```
<221>
        PEPTIDE
 <222>
       (1)..(6)
        The synthesis of this peptide may be performed on an ABI 433A pep
 <223>
        tide synthesizer using readily available materials well known to
        ordinarily skilled artisans
 <400> 199
 Pro Leu Gly Xaa Tyr Xaa
                 5
 <210>
       200
 <211> 6
 <212>
       PRT
 <213> Artificial Sequence
<220>
<221> MOD_RES
<222>
       (4)..(4)
<223>
       4-aza-hydroxy-phenylalanine
<220>
<221> MOD_RES
<222>
       (6)..(6)
<223> homoleucine
<220>
<221>
      PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       200
Pro Leu Gly Xaa Tyr Xaa
<210> 201
<211>
      6
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      MOD_RES
<222>
      (4)..(4)
```

I

T.

1

T)

ml,

<223>

homophenylalanine

```
<221>
       MOD_RES
<222>
       (6)..(6)
      homoleucine
<223>
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 201
Pro Leu Gly Xaa Tyr Xaa
                5
<210>
       202
<211>
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      MOD_RES
<222>
       (4)..(4)
       homophenylalanine
<223>
<220>
<221>
       MOD_RES
<222>
       (6)..(6)
       homoleucine
<223>
<220>
<221>
       PEPTIDE
<222>
       (1)..(6)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 202
Pro Leu Gly Xaa Glu Xaa
1
<210> 203
<211> 4
```

<220>

T.

```
<212>
       PRT
<213>
       Artificial Sequence
<220>
<221>
      PEPTIDE
<222>
       (1)..(4)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400> 203
Pro Leu Gly Leu
<210>
       204
<211>
      PRT
<212>
<213>
      Artificial Sequence
<220>
<221>
      PEPTIDE
       (1)..(7)
<222>
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       204
Pro Leu Gly Leu Leu Tyr Leu
<210>
      205
<211>
       5
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
       PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
      205
<400>
Gly Pro Leu Gly Leu
                5
```

```
NAMED - DECENT
```

<400>

208

Pro Gln Gly Leu

```
206
<210>
<211>
       5
<212>
      PRT
<213>
      Artificial Sequence
<220>
<221>
      PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
       206
Asp Pro Leu Gly Leu
                5
<210>
       207
<211>
       5
<212>
       PRT
<213>
      Artificial Sequence
<220>
<221> PEPTIDE
<222>
       (1)..(5)
       The synthesis of this peptide may be performed on an ABI 433A pep
<223>
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
<400>
      207
Pro Glu Gln Gly Leu
                5
<210>
      208
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<221>
      PEPTIDE
<222>
       (1)..(4)
<223>
       The synthesis of this peptide may be performed on an ABI 433A pep
       tide synthesizer using readily available materials well known to
       ordinarily skilled artisans
```

```
<210>
           209
    <211>
           7
    <212>
           PRT
    <213>
           Artificial Sequence
    <220>
    <221>
           MOD_RES
    <222>
           (5)..(5)
           diphenylalanine
    <223>
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(7)
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
<400> 209
Pro Leu Gly Leu Xaa Ala Arg
إير
           210
    <210>
11
    <211>
           4
    <212>
           PRT
Artificial Sequence
    <213>
T
<220>
T
    <221>
           MOD_RES
    <222>
           (4)..(4)
           homophenylalanine
    <223>
    <220>
    <221>
           PEPTIDE
    <222>
           (1)..(4)
           The synthesis of this peptide may be performed on an ABI 433A pep
    <223>
           tide synthesizer using readily available materials well known to
           ordinarily skilled artisans
    <400> 210
    Pro Leu Gly Xaa
```

1